

PharmLabs San Diego Certificate of Analysis



Sample THCP Pre-Roll Hash Hole Donut 2x2 Dirty Zprite

Delta9 THC 0.16% | THCa 0.03% | Total THC (THCa * 0.877 + THC) 0.19% | Delta8 THC 20.91%

Sample ID SD251212-016 (129687) Matrix Flower
Tested for Primetime Enterprise
Sampled - Received Dec 12, 2025 Reported Dec 31, 2025
Analyses executed D9C, GA-FPC

Summary D9C: The total Δ9-THC content in this sample is 0.16%. For the most accurate Δ9-THC concentration, refer to the GC MS/MS section of this COA. This sample was tested using HPLC and GC MS/MS. HPLC analysis can yield inconsistent results for Δ8-THC and Δ9-THC due to isomer interference...

D9C - D9 Confirmation

Analyzed Dec 15, 2025 | Instrument GC MS/MS | Method SOP-041 D9C
The expanded Uncertainty of the D9 Confirmation analysis is approximately ±7.806% at the 95% Confidence Level

Table with 5 columns: Analyte, LOD ppb, LOQ ppb, Result %, Result mg/g. Row 1: Δ9-Tetrahydrocannabinol (Δ9-THC) 1.462, 4.432, 0.16, 1.62. Row 2: Total Cannabinoids Analyzed -, -, 0.16, 1.62

CANx - Cannabinoids

Analyzed Dec 12, 2025 | Instrument HPLC-VWD | Method SOP-001
The expanded Uncertainty of the Cannabinoids analysis is approximately ±7.81% at the 95% Confidence Level

Table with 5 columns: Analyte, LOD mg/g, LOQ mg/g, Result %, Result mg/g. Lists various cannabinoids like 11-Hydroxy-Δ8-Tetrahydrocannabinol, Cannabidiol, etc., with their respective LOD, LOQ, and results.

*Dry Weight %

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DEA license: RP0611043
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Wed, 31 Dec 2025 11:05:05 -0800

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 2019 Farm Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product...

HME - Heavy Metals

Analyzed Dec 18, 2025 | Instrument ICP/MSMS | Method SOP-005

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.0009	0.0027	0.02	0.2
Cadmium (Cd)	0.0005	0.0015	0.05	0.2
Mercury (Hg)	0.0058	0.0174	0.00	0.2
Lead (Pb)	0.0006	0.0018	0.01	0.2

MIBIG - Microbial

Analyzed Dec 17, 2025 | Instrument Plating | Method SOP-007

Analyte	LOD CFU/g	LOQ CFU/g	Result CFU/g	Limit CFU/g
Shiga toxin-producing Escherichia Coli	1.0	1.0	Negative	1
Salmonella spp.	1.0	1.0	Negative	N/A
Aspergillus fumigatus	1.0	1.0	Negative	1
Aspergillus flavus	1.0	1.0	Negative	1
Aspergillus niger	1.0	1.0	Negative	1
Aspergillus terreus	1.0	1.0	Negative	1

MTO - Mycotoxin

Analyzed Dec 15, 2025 | Instrument LC/MSMS | Method SOP-004

Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg	Limit ug/kg	Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg	Limit ug/kg
Ochratoxin A	5.0	20.0	ND	20	Aflatoxin B1	2.5	5.0	ND	20
Aflatoxin B2	2.5	5.0	ND	20	Aflatoxin G1	2.5	5.0	ND	20
Aflatoxin G2	2.5	5.0	ND	20	Total Aflatoxins	10.0	20.0	ND	20

UI Unidentified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



DEA license: RP0611043
 ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
 Wed, 31 Dec 2025 11:05:05 -0800

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 209 Form B91. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product. This report shall not be reproduced, except in full, without the prior written approval of PharmLabs. This report is not intended to diagnose, treat, cure, or prevent any disease. Results apply only to the specific sample(s) and batch(es) identified on this COA and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, regarding the tested product's safety, efficacy, quality, merchantability, or fitness for a particular purpose. PharmLabs expressly disclaims any liability for damages, claims, costs, or expenses arising out of the use, misuse, or reliance upon this COA by any party. PharmLabs relies on information provided by the client regarding the identity, sampling, and chain of custody of the submitted material. PharmLabs assumes no responsibility for errors, omissions, or misrepresentations in such information. It is the sole responsibility of the client to determine and ensure the compliance of their product(s) with all applicable federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. This COA is valid only as of the date of issuance and does not guarantee the stability or continued conformity of the tested product beyond that date. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.

PES - Pesticides

Analyzed Dec 15, 2025 | Instrument LC/MSMS GC/MSMS | Method SOP-003

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Aldicarb	0.01	0.02	ND	0.02	Carbofuran	0.01	0.02	ND	0.02
Dimethoate	0.01	0.02	ND	0.02	Etofenprox	0.02	0.1	ND	0.1
Fenoxycarb	0.01	0.02	ND	0.02	Thiachloprid	0.01	0.02	ND	0.02
Daminozide	0.01	0.03	ND	0.03	Dichlorvos	0.02	0.07	ND	0.07
Imazalil	0.02	0.07	ND	0.07	Methiocarb	0.01	0.02	ND	0.02
Spiroxamine	0.01	0.02	ND	0.02	Coumaphos	0.01	0.02	ND	0.02
Fipronil	0.01	0.1	ND	0.1	Paclobutrazol	0.01	0.03	ND	0.03
Chlorpyrifos	0.01	0.04	ND	0.04	Ethoprophos (Prophos)	0.01	0.02	ND	0.02
Baygon (Propoxur)	0.01	0.02	ND	0.02	Chlordane	0.04	0.1	ND	0.1
Chlorfenapyr	0.03	0.1	ND	0.1	Methyl Parathion	0.02	0.1	ND	0.1
Mevinphos	0.03	0.08	ND	0.08	Acephate	0.02	0.05	ND	0.05
Acetamiprid	0.01	0.05	ND	0.05	Azoxystrobin	0.01	0.02	ND	0.02
Bifenazate	0.01	0.05	ND	0.05	Bifenthrin	0.02	0.35	ND	0.1
Boscalid	0.01	0.03	ND	0.03	Carbaryl	0.01	0.02	ND	0.02
Chlorantraniliprole	0.01	0.04	ND	0.04	Clofentezine	0.01	0.03	ND	0.03
Diazinon	0.01	0.02	ND	0.02	Dimethomorph	0.02	0.06	ND	0.06
Etoazole	0.01	0.05	ND	0.05	Fenproximate	0.02	0.1	ND	0.1
Flonicamid	0.01	0.02	ND	0.02	Fludioxonil	0.01	0.05	ND	0.05
Hexythiazox	0.01	0.03	ND	0.03	Imidacloprid	0.01	0.05	ND	0.05
Kresoxim-methyl	0.01	0.03	ND	0.03	Malathion	0.01	0.05	ND	0.05
Metalaxyl	0.01	0.02	ND	0.02	Methomyl	0.02	0.05	ND	0.05
Myclobutanil	0.02	0.07	ND	0.07	Naled	0.01	0.02	ND	0.02
Oxamyl	0.01	0.02	ND	0.02	Permethrin	0.01	0.02	ND	0.02
Phosmet	0.01	0.02	ND	0.02	Piperonyl Butoxide	0.02	0.06	ND	0.06
Propiconazole	0.03	0.08	ND	0.08	Prallethrin	0.02	0.05	ND	0.05
Pyrethrin	0.05	0.41	ND	0.1	Pyridaben	0.02	0.07	ND	0.07
Spinosad A	0.01	0.05	ND	0.05	Spinosad D	0.01	0.05	ND	0.05
Spiromesifen	0.02	0.06	ND	0.06	Spirotetramat	0.01	0.02	ND	0.02
Tebuconazole	0.01	0.02	ND	0.02	Thiamethoxam	0.01	0.02	ND	0.02
Trifloxystrobin	0.01	0.02	ND	0.02	Captan	0.01	0.02	ND	0.02
Cypermethrin	0.02	0.1	ND	0.1	Cyfluthrin	0.04	0.1	ND	0.1
Fenhexamid	0.02	0.07	ND	0.07	Spinetoram J,L	0.02	0.07	ND	0.07
Pentachloronitrobenzene	0.01	0.1	ND	0.1					

RES - Residual Solvents

Analyzed Dec 15, 2025 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Propane (Prop)	0.044	0.4	72.1	N/A	Butane (But)	0.02	0.4	ND	800
Methanol (Metha)	1.176	3.92	2165.3	N/A	Ethylene Oxide (EthOx)	0.08	0.4	ND	N/A
Pentane (Pen)	0.024	0.4	ND	N/A	Ethanol (Ethan)	0.048	0.4	<LOQ	5000
Ethyl Ether (EthEt)	0.036	0.4	ND	N/A	Acetone (Acet)	0.044	0.4	120.1	N/A
Isopropanol (2-Pro)	1.16	3.868	<LOQ	N/A	Acetonitrile (Acetonit)	0.888	2.952	<LOQ	N/A
Methylene Chloride (MetCh)	0.04	0.4	ND	N/A	Hexane (Hex)	0.012	0.4	ND	100
Ethyl Acetate (EthAc)	0.032	0.4	42.2	N/A	Chloroform (Clo)	0.028	0.4	ND	N/A
Benzene (Ben)	0.012	0.4	ND	N/A	1,2-Dichloroethane (1,2-Dich)	0.024	0.4	ND	N/A
Heptane (Hep)	0.012	0.4	ND	500	Trichloroethylene (TriClEth)	0.072	0.4	ND	N/A
Toluene	0.036	0.4	ND	N/A	Xylenes (Xyl)	0.012	0.4	ND	N/A

FVI - Filth & Foreign Material Inspection

Analyzed Dec 12, 2025 | Instrument Microscope | Method SOP-010

Analyte / Limit	Result	Analyte / Limit	Result
> 1/4 of the total sample area covered by sand, soil, cinders, or dirt	ND	> 1/4 of the total sample area covered by mold	ND
> 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g	ND	> 1/4 of the total sample area covered by an imbedded foreign material	ND

MWA - Moisture Content & Water Activity

Analyzed Dec 11, 2025 | Instrument Chilled-mirror Dewpoint and Capacitance | Method SOP-008

Analyte	LOD a _w	LOQ a _w	Result	Limit	Analyte	LOD % M/w	LOQ % M/w	Result	Limit
Water Activity (WA)	0.03	0.03	0.51 a _w		Moisture (Mo)	0.0	0.0	7.1 % Mw	

MICx - Microbial X

Analyzed Dec 29, 2025 | Instrument Plating | Method SOP-007

Analyte	LOD CFU/G	LOQ CFU/G	Result CFU/G	Limit CFU/G
Total Yeast & Molds (TYM)	1.0	1.0	470	10000
Gram Negative Bacteria (BTGN)	1.0	1.0	4810	1000
Total Viable Aerobic Bacteria (TVAB)	1.0	1.0	6240	100000

UI Unidentified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



DEA license: RP0611043
 ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
 Wed, 31 Dec 2025 11:05:05 -0800

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 209 Form Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product. This report shall not be reproduced, except in full, without the prior written approval of PharmLabs. This report is not intended to diagnose, treat, cure, or prevent any disease. Results apply only to the specific sample(s) and batch(es) identified on this COA and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, regarding the tested product's safety, efficacy, quality, merchantability, or fitness for a particular purpose. PharmLabs expressly disclaims any liability for damages, claims, costs, or expenses arising out of the use, misuse, or reliance upon this COA by any party. PharmLabs relies on information provided by the client regarding the identity, sampling, and chain of custody of the submitted material. PharmLabs assumes no responsibility for errors, omissions, or misrepresentations in such information. It is the sole responsibility of the client to determine and ensure the compliance of their product(s) with all applicable federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. This COA is valid only as of the date of issuance and does not guarantee the stability or continued conformity of the tested product beyond that date. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.